


Estimated Number of AIDS Cases and Deaths among Adults and Adolescents with AIDS, 1985–2004—United States




Note. Data adjusted for reporting delays.



Reported AIDS Cases and Deaths Cumulative through 2004—United States

	<u>Cases</u>	<u>Deaths</u>	
		<u>No.</u>	<u>%</u>
Adults and adolescents	908,905	508,509	56
Children (<13 years)	<u>9,381</u>	<u>5,460</u>	<u>58</u>
Total	918,286	513,969	56


Reported AIDS Cases, by Age and Sex Cumulative through 2004—United States



* Excludes 2 persons of unknown sex.




Estimated Number of Adults and Adolescents Living with AIDS, by Sex, 1993–2004—United States



Note. Data adjusted for reporting delays.




Estimated Number of Persons Living with AIDS by Race/Ethnicity, 1993–2004—United States



Note. Data adjusted for reporting delays.




Estimated Number of Asians/Pacific Islanders and of American Indians/Alaska Natives Living with AIDS 1993–2004—United States



Note. Data adjusted for reporting delays.




Estimated Number of Adults and Adolescents Living with AIDS, by Region, 1993–2004—United States



Note. Adjusted for reporting delays.




Proportion of AIDS Cases among Adults and Adolescents, by Race/Ethnicity and Year of Diagnosis 1985–2004—United States



Note. Data adjusted for reporting delays.



Proportion of AIDS Cases among Adults and Adolescents, by Transmission Category and Year of Diagnosis, 1985–2004—United States




Note. Data adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.




Proportion of AIDS Cases among Adults and Adolescents, by Sex and Transmission Category Diagnosed in 2004—United States





Note. Data adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.

AIDS Rates, Reported in 2004—United States



Proportion of AIDS Cases and Population by Race/Ethnicity, Reported in 2004—50 States and D.C.



Note. Excludes persons from US dependencies, possessions, and associated nations.

* Includes 191 persons of unknown race or multiple races.



Estimated Number of AIDS Cases and Rates for Male Adults and Adolescents, by Race/Ethnicity 2004—50 States and D.C.

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Rate (cases per 100,000 population)</u>
White, not Hispanic	10,118	12.3
Black, not Hispanic	13,398	99.4
Hispanic	6,041	37.9
Asian/Pacific Islander	392	7.5
American Indian/ Alaska Native	128	13.5
Total*	30,203	25.6

Note. Data adjusted for reporting delays. Excludes persons from US dependencies, possessions, and associated nations.

* Includes 126 male adults and adolescents of unknown race or multiple races.



Estimated Number of AIDS Cases and Rates for Female Adults and Adolescents, by Race/Ethnicity 2004—50 States and D.C.

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Rate (cases per 100,000 population)</u>
White, not Hispanic	1,860	2.1
Black, not Hispanic	7,395	48.2
Hispanic	1,643	11.1
Asian/Pacific Islander	92	1.6
American Indian/ Alaska Native	64	6.4
<u>Total*</u>	<u>11,109</u>	<u>9.0</u>

Note. Data adjusted for reporting delays. Excludes persons from US dependencies, possessions, and associated nations.

* Includes 55 female adults and adolescents of unknown race or multiple races.



Proportion of AIDS Cases among Adults and Adolescents, by Region and Size of Place of Residence, Diagnosed in 2004—50 States and D.C.

Region*	Metropolitan population		Non-metropolitan area %
	>500,000 %	50,000–500,000 %	
Northeast N = 11,146	91	6	3
Midwest N = 4,495	78	12	9
South N = 19,773	75	13	11
West N = 6,071	88	8	4

Note. Data adjusted for reporting delays.

* Excludes 981 adults and adolescents from US dependencies, possessions, and associated nations. Region totals include persons whose metropolitan area of residence is unknown or missing.



Estimated Number and Proportion of AIDS Cases among Adults and Adolescents, by Transmission Category Diagnosed in 2004—United States

<u>Transmission category</u>	<u>No.</u>	<u>%</u>
Male-to-male sexual contact	17,691	42
Injection drug use (IDU)	9,151	22
Male-to-male sexual contact and IDU	1,920	5
High risk heterosexual contact*	13,128	31
<u>Other/not identified**</u>	<u>576</u>	1
Total	42,466	

Note. Data adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.

** Includes hemophilia, blood transfusion, perinatal, and risk factor not reported or not identified.



Estimated Number and Proportion of AIDS Cases Associated with Injection Drug Use, by Transmission Category Diagnosed in 2004—United States

	<u>No.</u>	<u>%</u>
Heterosexual male injection drug user (IDU)	5,968	45
Female IDU	3,184	24
Male-to-male sexual contact and IDU	1,920	14
Heterosexual sex partners of IDUs	2,163	16
Children whose mothers are IDUs or sex partners of IDUs	8	<1
<u>Total</u>	<u>13,243</u>	



Note. Data adjusted for reporting delays and cases without risk factor information were proportionally redistributed.



Estimated Number and Proportion of AIDS Cases Associated with Injection Drug Use*, by Race/Ethnicity Diagnosed in 2004—United States

<u>Race/ethnicity</u>	<u>Cases</u>	<u>%</u>
White, not Hispanic	3,032	23
Black, not Hispanic	7,098	54
Hispanic	2,866	22
Asian/Pacific Islander	104	<1
American Indian/ Alaska Native	79	<1
<u>Total**</u>	<u>13,243</u>	


Note. Data adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Includes injection drug users (IDUs), men who have sex with men and inject drugs, heterosexual sex partners of IDUs and children whose mothers are IDUs or sex partners of IDUs.

** Total includes 64 persons of unknown race or multiple races.



Reported AIDS Cases in Children <13 Years of Age at Diagnosis, 2004—United States N=122




Reported AIDS Cases, by Age Group at Diagnosis, Cumulative through 2004—United States

<u>Age (years)</u>	<u>AIDS</u>	
	<u>No.</u>	<u>%</u>
<13	9,381	1
13–14	914	<1
15–24	37,764	4
25–34	304,175	33
35–44	359,900	39
45–54	148,436	16
55–64	43,852	5
≥ 65	13,864	2
<u>Total</u>	<u>918,286</u>	

Adolescents 13–19 Years of Age Reported to be Living with AIDS, Cumulative through 2004


N=2,652*



Note. Data based on person's age as of December 31, 2004.
 * Includes 2 persons whose state of residence is unknown or missing.




Estimated Prevalence Rates for Adults and Adolescents Living with AIDS (per 100,000 population) 2004—United States



Note. Data adjusted for reporting delays.
 * Includes persons whose state of residence is unknown or missing.




Estimated Rates for Children <13 Years of Age Living with AIDS (per 100,000 population) 2004—United States




Note. Data adjusted for reporting delays.
* Includes persons whose area of residence is unknown.



Proportion of Persons Surviving, by Number of Months after AIDS Diagnosis during 1996–2003 and by Year of Diagnosis—United States



Proportion of Persons Surviving, by Number of Months after AIDS Diagnosis during 1996–2003 and by Age Group—United States



Proportion of Persons Surviving, by Number of Months after AIDS Diagnosis during 1996–2003 and by Race/Ethnicity—United States

